



Mistral 140 2H[®]



**For automatic grape berry sorting system
Air blade process**

**Capacity 6 - 10 T/H according to grape harvest
Simple and quick setting**

Adjustable level of waste

Feeding height 1550 mm

Leveling bar to adjust the capacity

3 interchangeable grids for bulky waste (20/22/24)

automatic elimination of the bulky waste

Horizontal conveyor width 350 mm to recover the
sorted berries – H output 850 mm

Horizontal conveyor width 350 mm to recover the
waste – H output 850 mm

Completely manufactured from stainless steel

Control panel with frequency drive for the air blade

Control circuit in 24V

Innovation et Qualité

Le Bourg • 01400 SULIGNAT • FRANCE
Tél 33 (0) 4 7455 6626 • Fax 33 (0) 4 7455 6532
info@vaucherbeguet.com

Innovation and Quality

S.A.S. au Capital de 70 000 euros
APE 283C • SIRET 773 200 7120 0018
FR 20 773 200 712

www.vaucherbeguet.com



Mistral 140 OLC[®]



For automatic grape berry sorting system

Air blade process

Capacity 6 - 10 T/H according to grape harvest

Simple and quick setting

Adjustable level of waste

Feeding height 1550 mm

Leveling bar to adjust the capacity

3 interchangeable grids for bulky waste (20/22/24)

automatic elimination of the bulky waste

Conveyor OLC width 500 mm to recover the sorted berries – Elevation 1050 mm

Horizontal conveyor width 500 mm to recover the waste – H output 850 mm

Completely manufactured from stainless steel

Control panel with frequency drive for the air blade

Control circuit in 24V

Innovation et Qualité

Le Bourg • 01400 SULIGNAT • FRANCE
Tél 33 (0) 4 7455 6626 • Fax 33 (0) 4 7455 6532
info@vaucherbeguet.com

Innovation and Quality

S.A.S. au Capital de 70 000 euros
APE 283C • SIRET 773 200 7120 0018
FR 20 773 200 712

www.vaucherbeguet.com



Mistral 140 2X90[®]



For automatic grape berry sorting system

Air blade process

Capacity 6 - 10 T/H according to grape harvest

Simple and quick setting

Adjustable level of waste

Feeding Height 920 mm

Leveling bar to adjust the capacity

3 interchangeable grids for bulky waste (20/22/24)

automatic elimination of the bulky waste

Horizontal conveyor width 350 mm and a conveyor OLC

width 500 mm to recover the sorted

berries – Elevation 1050 mm

Similar equipments to recover the waste

Completely manufactured from stainless steel

Control panel with frequency drive for the air blade

Control circuit in 24V

Innovation et Qualité

Le Bourg • 01400 SULIGNAT • FRANCE
Tél 33 (0) 4 7455 6626 • Fax 33 (0) 4 7455 6532
info@vaucherbeguet.com

Innovation and Quality

S.A.S. au Capital de 70 000 euros
APE 283C • SIRET 773 200 7120 0018
FR 20 773 200 712

www.vaucherbeguet.com